Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.



1.942 D22T84

UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL MARKETING SERVICE
WASHINGTON 25, D. C.



FARM PRODUCTION, DISPOSITION

CASH RECEIPTS AND GROSS INCOME

TURKEYS

1958 - 1959

TURKEYS ON FARMS, JANUARY I 1959 - 1960

BY STATES

APRIL 1960

CONTENTS

	Page
Comments	3
Production, disposition, cash receipts, and	
gross income, 1958	4
Production, disposition, cash receipts, and	
gross income, 1959	5
All turkey farms	6
Average live weight per bird sold	6
Heavy and light breeds on farms	7
Death loss	8

X TURKEYS;

Farm Production, Disposition, Cash Receipts and Gross Income, 1958-59 X

Turkeys raised in 1959 totaled 82. I million birds--5 percent more than the 78.3 million birds raised in 1958 and one percent more than the previous record established in 1957. Increases in numbers raised of 20 percent in the West North Central States and 9 percent in the East North Central more than offset decreases of 7 percent in the South Central, 6 percent in the North Atlantic, 5 percent in the West and 1 percent in the South Atlantic States.

Minnesota was the leading State with 13.4 million turkeys raised in 195%, followed by California with 12.8 million. Iowa raised 8.0 million, Virginia 6.7 million, Wisconsin 4.0 million, Texas 3.8 million, Missouri 3.6 million, Ohio 3.0 million, and Indiana 3.0 million. The West North Central States, the largest producing area in the United States, raised 35 percent of the Nation's turkeys in 1959, the West 23 percent, the East North Central 15 percent, the South Atlantic 14 percent, the South Central 9 percent and the North Atlantic 4 percent.

Breeds Raised: Turkey growers raised 66.6 million heavy breed turkeys in 1959--1 percent more than in 1958. Heavy white breed turkeys accounted for 27 percent of all heavy breed turkeys raised. Growers raised 15.5 million light breed turkeys--an increase of 27 percent. Of the turkeys raised in 1959, 81 percent were heavy breeds and 19 percent light breeds.

Turkey Sales: Turkeys sold in 1959 totaled 81.4 million -- 6 percent more than in 1958. Growers indicated that the proportions of turkeys sold as fryer-roasters were 77 percent of the light breeds, about 31 percent of the heavy whites and I percent of the other heavy turkeys.

January I Breeder Hen Holdings: Holdings of heavy breed turkey hens on January I, 1960, totaled 3.0 million birds--a decrease of about 3 percent from the previous year. The number of light breed hens totaled 420,000--a decrease of 30 percent. The number of all other turkeys (market birds and breeder toms) on hand January 1,1960, at 2,237,000 was I percent above a year earlier.

Prices: The average price received for turkeys sold in 1959 was 23.9 cents per pound live weight, same as the average price received in 1958. Prices during the first 10 months of 1959 averaged lower than a year earlier; however, turkey prices advanced to a higher level in November and December.

Cash Receipts: Cash receipts from the sale of 1,379 million pounds live weight of turkeys in 1959 totaled \$329 million--5 percent more than in 1958.

Death Loss: Loss of poults in 1959 was 8.9 percent of those started, compared with 8.6 percent in 1958. Loss of breeding stock as a percent of breeders on hand January I was 5.5 percent, compared with 6.6 percent in 1958.

	O.	7 1004 1				Change in	a Cc	pamsuc			Consumed		Price	doah	Value of	a BOX 5
Badd	Heavy	Light	Total	2/st	Produced 3/	Increase De	tr ecrease ho	in farm household	Sold	Produced	in farm household		per	receipts	turkeys	Income
division:	Treemp	Or com								1,000	1,000	1,000	4	1,000	1,000	1,000
	Thousands	Thousands	Thousands	Thousands	Thousands	Thousands Th	T spussnoi	housends	Thousand	1.637	pomide 20		28.3	85t	14	472
Maine	\$ 2	14 0	86	0 -		! "	v !	o 0	717	2,403	88		26.5	तु	ខ	173
N.H.	121	N -	72	10	72).	٦	m	2	1,388	57		27.8	370	16	386
Mass	1462	191	472	י רו	174	m	1	9,	162 27	8,478 513	10g		8, 5 2, 2	2,478 150	М г	2,510
RI	72	п	28	0	5 28	1	ļ	⊣ .:	215	4 68	3 8		31.0	1.220	23.	1.243
Conn:	219	9	225	ч с	224 65 E	۲] =	٠ ب) <u>r</u>	, 201, SE	201	12,689	30.5	3,814	38	3,902
N.Y.	9119	12	929 591	ν-	200	-	1	0ر	155	3,09	115		38.4	959	37	966
N.J.	מלן י			4 6	1.311	1 (1	1	8	1,279	2t, 178	567		31.6	7,639	27	
P.B.		1 1	ì	7	3,143			101	3 <u>_073</u>	59,076	1,318		- 900 1000 1000 1000 1000 1000 1000 1000	17,699	1 1 10 1 1 1	- 18,103
N.A.	1 1 1 1	1 1	i	12	3,141	1 23 I	 	24	3,084	53,084	90		23.3	12,14	578	2, 23 25, 23 25, 23 26, 26 26,
Tnd	2,539	478	า๊ก	2	3,015	m	ļ	†1°	2,096	7,870	272			90°,421	ጸሟ	¥,51
T11	98,1			a	1,092	٦	1	91:	1,0(1	1 , 4, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5,	2 6		25.2	46,7	3,≚	7,4
Mich	853				966	ମ	}	;;		4 2 2	133		20.0	, or	£ £	10,00
Wis	2,649		2,777		- 2 <u>T13</u>	53 -		- 25	52,622	- 184 ARI			7.7.	12,002-1		- 122
ENG	はんしょり	ار ا ا	7,043		910 ft	100	1111	01:	- 10 281	- 10 00 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	756			28 530		
Minn	5,313	ı	_10,539		10,518		ļ	‡ c	6,696	119,557	12		23.4	27.577	43	27,626
Lowa	5,925			ส	6,793		1	א כנ	3,103	20.318	361		18	13.265	8)	13,346
Mo	2,95			0	3,122			y c	, (83)	12,690	354		23.2	2,84	72	2,919
N.Dak				П (200	٥٢	!	3 =	990	11,469	178		23.6	2,600	्रे	2,642
S.Dak	: 67t			0 (00)	7 1		1	1,062	13 306,306	139		23.0	4,836	었	4,868
Nebr	1,055	5 24	1,079	n	1,0/0 71/6	u		- 0	731	14,099	189		22.4	3,095	24	3,137
Kans	:	-1	-1	1	5 76A	- 5			$-\frac{23,337}{}$	- 1,00,1,1,7 - 1	_1,018_		-23.5	92,756	373	_ 93,129
W.N.C	:	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 2 2	†	1000			. I		5,581	33		27.7	1,537	6	1,746
Del	i ∂) ~			1	य	315	5,265	193		26.1	1,324	20	1,374
Md	142)))) () () () () () () () ()	5 h76	יננ	6.	1	5	42	9,446	71,761	566		24.8	17,745	99	17,811
Va	120,2			1	1,392	5	i	10	1,377	16,704	0 हा		25.7	4,247	# ;	4,278
60 × × ×	1.55			7	1,749	.8	1	24	1,717	30,782	22		27.3	6,250 -	ij	365
, c	880			m	891	-	9	19	9 0	16,040	323		8 -	4,090	102	8,6
e.	28	3	787	п	283	1	-	Z	0 0	, - 	25		20.4	266	* E	070
Fla	16			ر ا ا	- 1			. I I I I I	024_17	- 155, 1501						- TO 751
S.A.	$\frac{1}{5}$	$7 - 5 \cdot 165$	11,902		क्रिना -	 	114			50, 70E	- 1096 - 1096		23.3	1.195	[9	2556
Ky				•10	324	!	NV	1 2	166	3,570	182		26.0	833	125	826
Tenn	170		18(,u (2	3%	278	5,016	594		25.9	1,188	154	1,342
Ala			200	u (1		4	1	38	165	3,792	999		25.7	†8¢	171	955
Miss	Tolor of		28.0	, A	ď	1	7	23	2,355	42,073	70t		23.5	9,671	まる	9,765
Ark	, , , , , , , , , , , , , , , , , , ,					-	8	8	97	0,47	555		27.4	75	다. 당:	243
La	81,7			a	1,030	į	1	17	1,013	भू भू	568		8	3,978	90 5	#,02h
Tovog	3.30			16		118		96-1	3,490	- 102,701	-2557			14,200		- = -255
S	7.17	 1	7 8,234	ار ا ا	5 8,199	92		271	(2030	- 142,404	- 47905		7. 2. 3. 1.	32,220	-	
Mont	1/1	I I	 			1	N	7,	- 9	3,680	אלי מליר		25.5	X &	200	795
Idaho	.: 179		5 214	,	214	н	-	:	3	300	ì		25.0	50	19	27
Wyo	**			,	2000	1	1	+ در	1,307	26,236	238		24.0	6,211	57	6,268
Colo	: 1,312	7,	1,326		1,327			400	72	1,520	251		25.1	343	፠	381
N. Mex.			8 5			1	ч	9	.95	1,989	13 13		25.0	472	ಜ	200
Ariz	2 59	8	ζ.		ά	-	띥	9	2,820	7 4 ,223	918		র জ	Ħ,	χ, -	90° 80°
New						-	1	т	T C	0 101	2 2	טאלר טנ פולר טנ	8 8	4 4	+ ½	300
Wash	50		7 515		3 512	7		01	492	10,497	V 000	10,140 20,144	3,8	K, KO3	5 t	6,303
Oreg	.: 1,462	141	1,603			7	13	13	13,530	255,153	2,00	255,360	25.7	57.967	140	58,116
Calif	13,231	1	i	19	1		₽ G	ا مارد	20,138-	- 紫紫- -	2.221	383,231	100	86,683-	<u></u>	- 年7,194-
West	まん!!:	ا با الا	000 OF 1		7 - 7			763	76,980-	- 1,334,049 -	_13,600_	1,314,255	- 23.9	313,542	3_389	_316,931
D C	77795 :-	275	19 18	K	5-70TC	1		<u> </u>	1							1
1/ Does	not include	e young turk	keys lost.	Tennier.	Legg	then 500 18	shown as	0,								

²⁾ Loss during the year of turkeys on hand January 1. Less than 500 is shown as 0.

2) Invest adult the year of turkeys on hand January 1. Less than 500 is shown as 0.

3) Turkeys sold plus consumed in household of farm producers and the plus or minus change in inventory.

4) Change in inventory numbers during the year.

Turkeys: Farm production, disposition, cash receipts and gross income, by States, 1959

Gross		1 4 4
Value of turkeys consumed	A S N N N N N N N N N N N N N N N N N N	1 1 1 1
Cash	1	1
Price per pound	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
Sold	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Consumed in farm household		
Produced	######################################	
Sold	[1] [1] [1] [1] [1] [1] [1] [1] [1] [1]	
Consumed in farm household	0년 	
in y 4/ Decrease	## ## ## ## ## ## ## ## ## ## ## ## ##	hown as 0.
Change inventor Increase	1900asada 1900	nan 500 is si
Produced.	1 1 1 1 1 1 1 1 1 1	1. Less th
Lost 2/	###	d Jenuary
Total	1 1 1 1 1 1 1 1 1 1	ys lost.
Raised 1/ Light breeds		young turke
Heavy	[18] - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ing the ye
State and division	Meine With Meine With Meine With Meine With Min Wi	1/ Does not 2/ Loss dur

2) however we have the consumed in household of farm producers and the plus or minus change in inventory.

If Change in inventory numbers during the year.

Column	pus	1		Value Der neau	nesa	****	H VOLUE			22			'AT	2	
######################################		1	1960	1959	1960	1959	1960	Hens	Toms	Fryers	T. A	Hens	Toms	Fryers	All
The color of the	division					1,000	1,000								
1		สมาชิยาที่ B	Thousands	Dollars	Dollars	dollars	dollare	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds
### ### ### ### ### ### ### ### ### ##	Maine	6	7	8.9	6.30	\$.\$	₹ 5	74.0	5.45 5.45	, o	10.1	15.5	5 4 2 4	, o	10.0
1. 1. 1. 1. 1. 1. 1. 1.	N. H.	23	ส`	8.9	S 6	S 2.	Y C	2.41	23.0	. 0	-0.01	15.0	70.40	0.0	10.
19 19 19 19 19 19 19 19	Vt	ω.	۰ 0	8.9	કે દ	3 5	ઽૡૢૼ	14.7) <u>(</u>	9.5	18,0	17.71	21.9	0.6	18.1
	Mass	志	ድ	0.50	200	35	5 8	9.41	7.16	0.0	18.3	15.2	23.1		19.3
Color Colo	R. I	m	mç	9.6 6.0	8.9	18	3 5	14.9	- ਲ ਼	0.6	18.3	15.5	23.9	9.5	19.4
1.	Conn	8	፠	٠ د د د	9 6	75	17.	15.3	24.1	9.3	19.4	15.4	24.3	0.6	19.4
1. 1. 1. 1. 1. 1. 1. 1.	N. Y	. 29	₹) (3.6	3 6	מר	130	14.5	23.9	0.80	19.1	14.3	8	0.6	18.3
1.	N. J	. 19	50	0.50	2.0	250	3 6	15.1	23.1	8.5	18.0	15.2	23.6		18.8
100 100	Pa	180		2.50	- 12:08		· 5 55 ·	1 1510 - +			- 1818		93.5	B	18.9
The color of the	N. A.	385	367	5.09	2225		1 - 1220		12 22	7	- 160-	=	- 1220		1.19.
The color of the	Obdo	822:	217	4.55	9.4	1,219	200	7-1-1	- 00	`~ ~	18.0	7 4	200	2 0	17.0
The color of the	Tnd	88	[†	01.4	.43	255	T (0		2.5.7	, c	200	7 - 1	100	- a	7
High 199	11	%	%	4.65	3.	30.	25.	٠ ٢	2	,,	יים. רים ר		0 0	o a	17.8
Hardware 1975 197	Mich	105	8	4.75	0.4	£	435) L	† · ·	- c	. α) C	1	9 0	- 4
Fig. 18	T. T. C.	153	143	4.95	04.4	727	720	1 1 1 1		1 1 1 1 1	1 1 1 1 1 1	55.55		1 1 1 1 1 1	1001
The color of the	C M D		520	<u>12.</u> ±	54.4	3,037	1 25 0 1	0.41	7.4.2	1 0 0 1		7.4.	25.7	010	10.7
Fig. 19 Fig.	M		019	T.55 -	02.4	2,502	2,562	74.2	23.0	0	17.4	7.5	24.3	y.	12.0
Fig. 1972 Fig.	WITH THE	35	500	4.50	4.50	1,264	1,390	14.2	χ+.α Σπ-α	ຕຸກ	17.6	14.2	25.4	0,1	1,7.6
Fig.	TOMB	100	56	7.30	04.4	972	82	14.9	24.7	8.0	19.0	14.9	24.0	0.6	18.6
No. No.	Wo	077	15	3 6	2	189	160	13.5	2.3	8.5	18.0	14.0	24.0	9.5	18.8
No. 1994 17 17 17 17 17 17 17 1	N. Dak	‡ •	3 ;	5.6	3 5	280	ਰੈ	13.7	24.0	0.6	16.2	13.9	23.8	8.2	15.0
Western 1972	S. Dek	. 73	52	3.	÷-	9,00	7.00	7=	2 76	\ c	10.	0	02.0	7.2	19.8
King	Webr	. 67	8	8.	2+.	3	1 6	7	200) c	200	1 -	100	-α	, מר ה
## ## ## ## ## ## ## ## ## ## ## ## ##	Kane	SH.	53	8.	81	200	712 =	1 1 1 1		7-0		2:1:	70		10161
Part	٠	- -	1.308-1-	1 4.43	4.29	-5,728	2,010	1 1 1 1 1	1 1 1 1 1 1 1 1)-lo-	1 101.7			2	1,000
15		? .!.		5.001	5.30	25	37	14.5	#. 7.		20.0	2.3	19.1	٠. د.	13.1
10	3	٠2	91	5.20	5.50	8	8	14.3	24.0	0.0	16.1	15.0	21.1	٥.٠	1.(•1
10	Mar.	300	<u>چ</u>	4.15	4.30	1,216	783	14.4	ਨ ਹ	0.0	11.1	14.4	0. Id	2	10.0
105 110 1,520 1,500		325	9	3.90	4.30	98	172	14.3	9.0	8.5	0.51	1	19.2	ب ب د د	9.19
1,	M. Va	۲,	סנו	1,20	04.4	441	†8 1	14.0	8.0	8.5	17.6	14.1	23.1	æ.	19.1
3/2 44/3 4, 65/2 160 113 114,0 28-0 80.0 165/3 114,0 28-0 80.0 165/3 18-0		CT.	F	4.55	7.60	341	325	14.3	24.0	0.6	18.9	13.9	24.7	0.0	19.1
1,		2%	173	4.45	4.25	160	183	14.0	24.0	8.1	18.9	15.5	24.9	8.5	80.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	CB.	2, 2	· 큐	4.80	4.60	274	156	12.9	9.6	0.8	16.4	1:1:-	- 19.4		15.0
28 1, 10 28 11, 1 22, 9 9, 0 18, 5 15, 0 28, 1 28, 1<	FLB			1.29		2,782	2,257	14.2	22.5	8.1	13.1	13.7	21.9	2-3-	12.0
23	S. A	- L L L L		- T 55-	1 05.14	246 -	 	14.41	28.9	0.6	18.6	15.0	54.4	ω α•	19.6
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	K	R 8	t 8	36	3.80	8	87	14.7	24.1	9.0	19.3	14.1	22.4	4.5	18.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Tenn	3 8	3 2	201	00.7	123	न्टा	13.0	27.5	4.8	16.5	13.9	23.3	7.5	17.8
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Als	3,9	ત્રફ	20.7	4.20	252	252	14.6	2.7	8.5	18.5	14.0	27.5	0.6	17.4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	MISS	3 8	3 5	8	100	245	412	14.5	24.0	8.5	17.7	14.9	23.0	8.5	18.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Ark	::	ဌင	1 2 2	7.50	, 1	8	14.0	23.0	8.0	18.5	15.5	23.0	1	19.4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	I.B	ง:	3 5	2	00	377	8	14.0	7.13	8.5	17.6	14.4	23.3	.3 .3	18.5
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Okla	×:	- 3	9 6	8 8	פרר	1.642	14.2	23.3	8.7	17.7	14.2	24.2	8.0	17.5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Texas	.:515		. I . I . I . I	- 7-1	, ALL -	37.1	14.3	23.58	8.5	17.7-	14.4	- 23.6 -	. 10.8	-6-11-
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	S. C	686	729	- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1-	1 100-1-1	277	9 ¹ =	1 0 1	- 1 23.0	8-0-		13.6	1.22		18.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Mont	+ ·	m ;	λ. 	3.5	1 %	. C	14.41	23.6	7.0	17.2	14.4	24.2	4.8	17.5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Idaho		⊒-	20.4	3 9	3.8	ĺφ	14.3	20.0	8.0	17.7	13.0	8.0	:	16.6
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Wyo	77	4	8.5	8 5	8 5	3 5	7 7	25.0	77.8	10.8	14.5	25.4	0.6	19.8
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Colo	30	ဇ္က	2.0	3.5	7,00	નેજ	2 2 2	, d	7.5	2001	14.3	0.40	7.5	19.7
12 15 5.00 69 138 5.00 105 279 267 5.00 278 267 5.00 1,202 1,666 4,29 2,923 - 2,17 - 4,29 5,923 - 5,673 - 4,59	N. Mex.	9	Φ	02.4	0.5	8.6	3.8	ָ קייני פייני	0.50	`~ ~	10.0	15.5	20.00	- cc	19.6
69 138 5.00 105 89 5.10 278 267 5.00 1,252 1,666 4,29 2,033 2,171 1,59	Artz	김 ::	15	2.80	2.4	2 -	7 0) -	200	200		1.	25.5	7	10.0
105 89 5.10 278 267 5.00 1,502 1,606 4.90 2,018 2,171 4.53	Theh	99	138	2.80	2.	245	60	+ • • • •	24.7	ο u	100	- 0	,,	:	10
105 89 5.10 278 267 5.00 1,502 1,606 4.50 - 2,018 - 2,177 - 4.53 5,673 - 4.65	Nev			1		1	27.	T2.0	2.0	, a	0.00	0.91	2 4		9 6
267 5.00 1,502 1,666 4.93 2,177 - 1,65 5,923 5,613 - 1,65	Weeh	105	89	5.10	2.50	530	504	2.7.1	10.10		20.0	0.0	200	o a	
1.1	Orbo	278	267	2.00	2.40	1,390	1,0	T4.7	2 t	1 0	מ מנ	7 -	7.7.0	, t	101
West	Calif	1,502	1,606	1.50	0.5	0,7300	- HILKS	ナートポート			1 10101		- 57.5	- 1/1/	10-0-
n. s	West	2,018	2,171	- 4.93		2525			1 1 1 1 1 1				-		16.91
	,	5.923 -	5,673	4.65	-25-	21,231 -	- T-0(1)								

State :				1959					1960			
and	A1	l turke	ув		Breede:	r hens	Al	l turke	/S	Bree	der hen	
division	Heavy	Light	Total	Heavy	Light	Total	Heavy	Light	Total	Heavy	Light	Total
:	Thou-	Thou-	Thou-	Thou-	Thou-	Thou-	Thou-	Thou-	Thou-	Thou-	Thou-	Thou-
:	sands	sands	sands	sands	sands	sands 4	sands	sands	sands	sands	sands	sands
Maine	9	0	9	4 1 6	0	16	7 21	0	7	3 14	0	3 14
N.H	23 8	0	2 3 8	5	0	5	6	0	21 6	3	0	3
Mass	54	ő	54	21	ő	21	56	ŏ	56	21	Ö	21
R. I:	3	. 0	3	1	Ö	1	3	ŏ	3	1	Ö	1
Conn:	30	0	30	19	0	19	3 38	0	38	26	0	26
N.Y:	57	2	59	40	1	41	38	1	39	28	0	28
N.J	17	2	19	, 9	1	10	18	2	20	10	1	11
Pa	160 361	20 24	180 385	47	5	52 169	157 344	20	177 367	45	<u>4</u>	49
N. A. Ohio	161	107	268	162	82	193	144	23 73	217	151 101	<u></u>	156 155
Ind	53	5	58	27	2	29	37	13	41	18	2	50
Ill	60	6	66	31	4	35	6i	5	66	32	3	35
Mich:	96	9	105	79	3	82	87	5	92	73	3	76
Wis	148	5	153	94	2	96	139	4	143	84	2	86
E.N.C	518	132	650	342	93	435	468	91	559	308	64	372
Minn	450	100	550	360	80	440	515	95	610	395	65	460
Iowa	246 205	35 21	281 226	158 146	21 18	179 164	275 193	34 18	309 211	1 7 7 136	20 15	197 151
N.Dak	43	1	44	25	0	25	39	10	40	24	0	24
S.Dak	67	6	73	11	2	13	24	i	25	13	1	14
Nebr	65	2	67	38	1		58	2	66	34	ī	35
Kans	46	6	52	33	5	39 38	49	4	53	35	3	38
W.N.C	1,122	171	1,293	771	127	898	1,153	155	1,308	814	105	919
Del:	5	0	5	_3	0	3	7	0	7	2	0	2
Md	18 86	1	19 2 93	12 65	1 162	13	15	1 124	16 182	9	1	10
Va	18	207 40	293 58	9	21	2 27 30	58 16	24 24	102 40	49 9	110 12	159 21
N.C	105	0	105	5 9	0	59	110	0	110	62	0	62
S.C:	71	4	75	54	3	57	75	2	77	46	ĭ	47
Ga:	36	0	36	21	ŏ	21	37	6	43	22	1	23
Fla	26	31	57	15	7	22	22	12	34	12	9	21
S.A	365	283	648	238	194	432	340	169	509	211	134	345
Ky	57	1	58	45	1	46	53	1	54	42	1	43
Tenn	21 21	1	22 30	12 13	1 4	13 17	23	0 6	23	13	0	13 18
Ala	54	9	60	32	5	37	25 55	5	31 60	15 34	3	.37
Ark	95	34	129	56	14	70	86	17	103	47	3 7	54
La	23	0	23	15	ō	15	20	Ö	20	13	ó	13
Okla:	76	16	92	49	14	63	72	5	77	45	4	49
Texas:	420	95	515	306	78	384	335	56_	391	211	42	253
S.C	767	162	_ 929	528	117	645	669	90	759	420	60	480
Mont	4	0	14	3	0	3	3		3	5	0	2
Idaho	6 4	2	8 4	4 1	2	6 1	8 4	3	11 4	6	3	9 1 8 6 8
Colo	28	2	30	8	Ö	8	28	2	30	8	0	8
N.Mex	6	ō	6	4	ō	4	8	ō	8	6		6
Ariz:	12	ō	12	6	ō	6	15	ō	15	8	ŏ	8
Utah:	67	2	69	34	2	36	138	0	138	48	0	48
Nev:	0	0	0	0	0	0	0	0	0	0	0	.0
Wash	99	6	105	63	3	66	84	5	89	46	2	48
Oreg	243	35	278	193	30	223	237	30	267	184	25	209
Calif	1,474	28 75	1,502 2,018	761	22 59	783 1,136	1,580 2,105	2 6	1,606 2,171	803	<u>22</u> 52	825 1,164
U.S	5,076	847	5,923	3,118	597	3,715	5,079	594	5,673	3,016	420	3,436
1/ Does not				<u></u>	221	<u></u>	23013		7,513	3,010	120	3, 730

Death loss of turkeys

Geographic	percent of	eys lost as a total numbers home hatched	Breeding stoc a percent of on hand Jan	breeders	
divisions	1958	1959	1958	1959	
North Atlantic	Percent 7	Percent 6	Percent 6	Percent 5	
East North Central	9	10	7	6	
West North Central	9	10	6	6	
South Atlantic	9	9	5	5	
South Central	9	9	7	6	
Western	8	8	7	5	
United States	8.6	8.9	6.6	5.5	